

PUBLIC WORKSHOP:
Nonprescription Analgesic/Antipyretic Development in
Pediatric Patients 2 to Less Than 12 Years of Age


PATIENT PERSPECTIVES: CASE STUDY SERIES

Jody Thomas, PhD

CEO, Meg Foundation for Pain
Licensed Clinical Psychologist
Adjunct Faculty,
Stanford University School of Medicine



Meg Foundation
megfoundationforpain.org



No financial disclosures or disclaimers.



72.5 million

children in the United States

33.2 million


households with kids

<https://www.childstats.gov/americaschildren/demo.asp>


One in 36

children has been diagnosed
with autism spectrum disorder.

That is over **2 million** kids
in the US.



<https://www.cdc.gov/autism/data-research/index.html>






One in six

children has some level of
sensory processing disorder.

That is over **12 million** kids in
the US alone.




**Over
18 million**

**children in the US live in a single
parent household.**




Over 20%


of kids experience chronic pain
























11

12

1

9 10 11 12 1 2 3 4 5 6 7 8











The many versions of 10 years old...

Josephine: 81 lbs


Maya: 102 lbs


Emery: 62 lbs




WHAT IF SCENARIO:


**8 year old child
wakes up with
a headache**







**What if the kid is
13 years old?**













Thank you!